

L Number	Hits	Search Text	DB	Time stamp
1	69905	(print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:50
2	5475	((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:26
3	1401	((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:27
4	850	(((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:28
5	157	(((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:29
6	84	(((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:38

7	102	((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4 or detect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:50
9	62	((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:51
10	48	((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) and ((range or distance) with (slid\$4 or scan\$4 or mov\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 10:52

11	29	<p>(((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) and ((range or distance) with (slid\$4 or scan\$4 or mov\$4))) and 347/\$.ccls.</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT</p>	2004/09/09 11:08
13	19	<p>(((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) and ((range or distance) with (slid\$4 or scan\$4 or mov\$4))) not ((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) and ((range or distance) with (slid\$4 or scan\$4 or mov\$4))) and 347/\$.ccls.)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT</p>	2004/09/09 11:10

14	14	(((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) not (((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4))) and ((range or distance) with (slid\$4 or scan\$4 or mov\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 11:13
15	40	(((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4 or detect\$4)) not (((((((print\$4 or record\$4) and (carriage\$1 or carrier\$1) and (slid\$4 or scan\$4 or mov\$4) and (head\$1 or printhead\$1)) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same (gap\$4 or distance) same (medium or media or platen or convey) same (adjust\$4 or chang\$4))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey))) and ((head\$1 or printhead\$1) same ((adjust\$4 or chang\$4) with (gap\$4 or distance)) same (medium or media or platen or convey) same (lever\$1 or arm\$1))) and (sens\$4)) and ((range or distance) same (slid\$4 or scan\$4 or mov\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/09 11:13